





SIGNS AND SYMPTOMS

Athletes who experience one or more of the signs or symptoms listed below after a bump, blow, or jolt to the head or body may have a concussion.

SIGNS OBSERVED

- Appears dazed or stunned
- Is confused about assignment or position
- Forgets an instruction
- Is unsure of game, score, or opponent
- Moves clumsily
- Answers questions slowly
- Loses consciousness (even briefly)
- Shows mood, behavior, or personality changes
- Can't recall events prior to hit or fall
- Can't recall events after to hit or fall

SYMPTOMS REPORTED BY ATHLETE

- Headache or "pressure" in head
- Nausea or vomiting
- · Balance problems or dizziness
- · Double or blurry vision
- · Sensitivity to light
- Sensitivity to noise
- · Feeling sluggish, hazy, foggy, or groggy
- Concentration or memory problems
- Confusion
- Just not "feeling right" or is "feeling down"

COACH ACTION PLAN

If you suspect that an athlete has a concussion, you should take the following four steps:

- 1. Remove the athlete from play.
- Ensure that the athlete is evaluated by a health care professional experienced in evaluating for concussion.
 Do not try to judge the seriousness of the injury yourself.
- 3. Inform the athlete's parents or guardians about the possible concussion and give them the CDC fact sheet for parents on concussion.
- Keep the athlete out of play the day of the injury and until a health care professional, experienced in evaluating for concussion, says they are symptom-free and it's OK to return to play.

ADDITIONAL AYSO COACH PROCEDURES

- 5. Submit AYSO Incident Report to Safety Director
- 6. Refer parents to the AYSO/CDC Information sheet and SAI information available at AYSO.org
- 7. Obtain signed AYSO Participation Release from Parent/Guardian prior to return to play
- 8. Obtain a Medical Release if required by State Law
- 9. Give all signed forms to your AYSO Safety Director

AYSO REFEREE ACTION PLAN

During a game, if there is any reason to suspect a concussion:

- 1. Whistle to stop play immediately.
- 2. Call the coach onto the field.
- 3. If safe, have the player leave the field to be checked for signs/symptoms. If any sign/symptoms are observed, the player must not play for the remainder of the day.
- 4. If signs/symptoms are observed after the player returns to play, remove player from the game.
- 5. File a supplemental game report of the incident with the appropriate AYSO authority.

REMEMBER, WHEN IN DOUBT, SIT THEM OUT.

For more information and to order additional materials free-of-charge, visit:

www.cdc.gov/Concussion